

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 910 956 A1**

(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:

**28.04.1999 Bulletin 1999/17**

(51) Int. Cl.<sup>6</sup>: **A23F 3/14**

(21) Application number: **98203503.2**

(22) Date of filing: **20.10.1998**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE**

Designated Extension States:

**AL LT LV MK RO SI**

(30) Priority: **23.10.1997 US 62736 P**

**09.07.1998 US 92449 P**

(71) Applicant:

**SOCIETE DES PRODUITS NESTLE S.A.  
1800 Vevey (CH)**

(72) Inventors:

- **Carns, Lawrence G.**  
**Plain City, OH 43064 (US)**
- **Cilliers, Johann**  
**Marysville, OH 43040 (US)**

(54) **Tea bag for iced tea**

(57) A tea bag for ice tea beverages. The tea bag contains a tea mixture made up of about 30% to about 95% by weight of tea leaves, and about 5% to about 70% by weight of dried soluble tea solids. The tea bag may be immersed in cold water to provide a tea beverage of acceptable color and flavor in less than about 10 minutes.

**EP 0 910 956 A1**

**Description****Field of the Invention**

5 [0001] This invention relates to a tea bag which may be used to make iced tea beverages. The invention also relates to a method for making iced tea.

**Background of the Invention**

10 [0002] Traditionally, ice tea is made by extracting soluble tea solids from tea leaves and then adding various flavoring agents such as sugar, lemon, mint, peach and the like. The beverage is then cooled. This method results in a good quality tea product. However, it is time consuming since the consumer must heat water, steep the tea bags, and then cool the hot product.

[0003] Instant tea powders are available and may be used to rapidly produce a tea beverage at reduced temperatures. 15 However, instant tea powders usually do not provide an iced tea beverage of quality comparable to that produced by brewing tea leaves.

[0004] Further, while it is possible to make an ice tea beverage by steeping tea leaves in water at reduced temperatures, the beverage obtained is poor unless it is steeped for excessively long periods of time. The extraction is too slow and the beverage has a poor color and a flavor which lacks body.

20 [0005] This has lead to a situation where many consumers merely purchase ready-to-drink iced tea beverages.

[0006] Therefore there is a need for a tea which may be rapidly extracted at reduced temperatures to provide an acceptable extract for iced tea drinks.

**Summary of the Invention**

25 [0007] Accordingly, in one aspect, this invention provides a tea bag for ice tea beverages, the tea bag containing a tea mixture comprising:

30 about 30% to about 95% by weight of tea leaves; and  
about 5% to about 70% by weight of dried soluble tea solids.

[0008] Preferably the tea mixture further comprises tea flavor or aroma. The tea flavor or aroma may be encapsulated into the dried soluble tea solids.

[0009] The dried soluble tea solids are preferably coated on the tea leaves.

35 [0010] The tea leaves are preferably thermally treated tea leaves; for example steam treated tea leaves. This provides the advantage of reducing the possibility of microbial contamination.

[0011] The dried soluble tea solids may contain solubilized tannin components .

[0012] In another aspect, this invention provides a tea bag for ice tea beverages, the tea bag containing a tea mixture comprising tea leaves and dried soluble tea solids, the tea bag providing a beverage having a color of at least about 0.7 40 absorbance at 420 nm and using a cuvet pathlength of 1 cm when immersed in 250 ml of water at 22°C for about 90 seconds at a tea mixture concentration of about 10 g/l.

[0013] In a yet further aspect, this invention provides a tea bag for ice tea beverages, the tea bag containing a tea mixture comprising tea leaves and dried soluble tea solids, the tea bag, when immersed in cold water for 90 seconds, providing a beverage having a theaflavin content at least 24% of the theaflavin content of a standard tea beverage. Preferably the beverage has a theaflavin content at least 40% of the theaflavin content of the standard tea beverage. 45

[0014] In a further aspect, this invention provides a method for preparing an iced tea beverage, the method comprising:

50 immersing a tea bag containing a tea mixture comprising about 30% to about 95% by weight of tea leaves and about 5% to about 70% by weight of dried soluble tea solids into water at a temperature of about 30°C or less, extracting soluble tea solids from the tea mixture for a period of about 10 minutes or less to provide a tea extract; and removing the tea bag from the tea extract.

55 [0015] The soluble tea solids are preferably extracted from the tea mixture for a period of about 1 to 5 minutes.

[0016] In another aspect, this invention provides a method for preparing an iced tea bag, the method comprising

thermally treating tea leaves at a temperature of at least 80°C;

combining the thermally treated leaves with soluble tea solids to provide a tea mixture comprising about 30% to about 95% by weight of tea leaves and about 5% to about 70% by weight of dried soluble tea solids;  
packaging the tea mixture in a tea bag.

- 5 [0017] In this specification, the term "standard tea beverage" means a tea beverage which is prepared by immersing 2 single-serve tea bags in 1 litre of water at 75°C for 5 minutes.

#### Detailed Description of the Preferred Embodiments

- 10 [0018] This invention is based upon the finding that a highly acceptable iced tea beverage may be rapidly produced in cold water from a tea bag which contains tea leaves and soluble tea solids.

[0019] The tea leaves used in the tea bag may be any suitable tea leaves commonly used in tea bags. Preferably the tea leaves are black tea leaves; that is tea leaves which have been fully enzymatically oxidized during production from green tea leaves. Further, the tea leaves are preferably selected to provide optimum extraction at reduced temperatures. Tea leaves of this nature may be readily determined by persons skilled in the art. Examples of suitable tea leaves include Malabar Indonesian tea leaves, Nusantara Indonesian tea leaves, Papua New Guinea tea leaves, and mixtures of these tea leaves.

[0020] The tea leaves are preferably thermally treated to reduce microbial contamination; for example steam treated. This may be done by passing steam over the tea leaves to raise the temperature of the leaves to at least about 80°C; for example about 85°C to about 95°C. The treatment may be carried out in less than 20 seconds; for example about 3 to about 15 seconds. The tea leaves are preferably dried after the steam treatment.

[0021] The soluble tea solids may be produced by suitably extracting tea solids from tea leaves using hot water. For example, the extraction may be carried out in a battery of fixed bed reactors connected in series. The tea leaves are packed into the reactors to provide a packed bed and then a hot extraction liquid is caused to flow through each reactor, from one reactor to the next. Apart from the first reactor which receives fresh extraction liquid, the hot extraction liquid fed into any reactor is that leaving a previous reactor in the series. At the end of an extraction cycle, the spent tea leaves in the first reactor are removed and the second reactor becomes the first reactor. A reactor containing fresh tea leaves is then connected as the last reactor in the series and the process repeated. The hot extraction liquid leaving the battery of reactors forms the tea extract.

[0022] The tea extract may be treated to solubilize tannins in it so that they are soluble in cold water. This may be accomplished by removing the tannins from the tea extract by cooling the extract to precipitate the tannins. The tannins may then be subjected to oxidation in the presence of an oxidizing agent, an oxidation catalyst, and, if required, a base. Suitable oxidizing agents are hydrogen peroxide, ozone, oxygen, mixtures of these gases with air, and the like. Thereafter, the treated tannins may be recombined with the tea extract from which they were removed. The tea extract may then be processed as usual into tea powder or a tea concentrate. Suitable solubilization processes are described in US patents 3,787,590 and 4,156,024; the disclosures of which are incorporated by reference. Solubilizing the tannins in this manner reduces the cloudiness and turbidity of the beverage.

[0023] The tea extract may then be subjected to further processing to produce tea concentrates, soluble freeze- or spray-dried tea powder, or other products containing soluble tea solids as desired.

[0024] If it is desired to have a mixture of tea leaves and soluble tea powder in the tea bag, the soluble tea solids are suitably provided in the form of soluble freeze- or spray-dried tea powder. However, for better visual appearance, the soluble tea solids are preferably coated on the tea leaves. This may be accomplished by spraying a tea concentrate onto the tea leaves and drying the leaves; either simultaneously or in separate steps. The coating process may be carried out in any suitable coating apparatus; for example a fluidized bed drier, a rotary coater, and the like.

[0025] The tea leaves preferably provide about 30% to about 95% by weight of the tea mixture; more preferably about 70% to about 90% by weight. The dried soluble tea solids provide about 5% to about 70% by weight of tea mixture; more preferably about 10% to about 30% by weight.

[0026] A tea flavor or aroma may be incorporated into the tea mixture. This is suitably accomplished by adding the flavor or aroma to the tea concentrate prior to coating of the soluble tea solids on the tea leaves. In this way, the tea flavor or aroma becomes encapsulated in the coating of soluble tea solids. Alternatively, powdered flavors or aromas may be simply added to the tea mixture. As a further alternative, the tea flavor or aroma may be sprayed onto the coated tea leaves. As a yet further alternative, the tea flavor or aroma may be encapsulated and the capsules mixed with the tea mixture. The tea flavor or aroma may be a natural flavor or aroma obtained from tea leaves or may be an artificial flavor or aroma.

[0027] The tea mixture is then transported to a suitable filling machine in which a selected amount of the tea mixture is filled into tea bags. Suitable filling machines are well known in the art. Any suitable material may be used for making the tea bags. These materials are commercially available. For single serving tea bags, about 2 g to about 3.5 g tea mixture may be filled into each bag. Tea bags for providing larger amounts of beverage may also be provided; for example

a tea bag for providing about 1 liter of ice tea beverage may contain about 9 to about 11 g of tea mixture.

[0028] The tea bag, when placed into cold water at a temperature of 30°C or less, provides a beverage of good color and flavor within a reasonably short extraction time. For example, a tea bag which contains about 2.6 g of the tea mixture provides a beverage of color, when immersed in 250 ml of water at 22°C for about 90 seconds minutes with continuous stirring and measured at 420 nm using a spectrophotometer (for example a Spectronic 20 D spectrophotometer) at a cuvet pathlength of 1 cm, of about 0.80 to about 1.

[0029] Similarly, a tea bag which contains about 10 g of the tea mixture provides a beverage of color, when immersed in 1 liter of water at 22°C for about 90 seconds minutes with continuous stirring and measured at 420 nm and using a cuvet pathlength of 1 cm, of about 0.80 to about 1. This is considerably higher than would be achieved using conventional tea bags.

#### Example 1

[0030] A tea extract is prepared using a battery of fixed bed reactors. The extract is concentrated to about 40% by weight of soluble tea solids.

[0031] Malabar Indonesian tea leaves are placed into a rotating drum. The drum is put into operation and the concentrated extract is sprayed into the drum. Sufficient concentrated extract is sprayed into the drum such that the soluble tea solids in the extract provide about 15% by weight of the total dried weight of the tea leaves and soluble tea solids. The wet tea mixture is then fed into a fluidized bed drier. The drier is put into operation and operated until the moisture content of the mixture of tea leaves and soluble tea solids is about 3 to about 7% by weight.

[0032] The tea mixture is removed from the drier and examined. Each tea leaf is coated with a coating of soluble tea solids.

[0033] The tea mixture is then filled into single serving tea bags using a conventional filling machine and tea bag material. Each bag receives about 2.2 g to about 2.7 g of the tea mixture.

[0034] A tea bag is placed in 250 ml of water at 22°C with continuous gentle stirring. After 90 seconds, the tea bag is removed. The beverage obtained has an acceptable tea color to the eye. The color is determined, using a Spectronic 20 D spectrophotometer at 420 nm absorbance and at a cuvet pathlength of 1 cm, to be about 0.6 to about 0.9. After about 3 minutes, the color is about 0.9 to about 1.3. Also, the beverage has a good tea flavor with brewed tea notes.

#### Example 2

[0035] The process of example 1 is repeated using Nusantara Indonesian tea leaves. A tea bag is placed in 250 ml of water at 22°C. After 90 seconds, the tea bag is removed. The beverage obtained has an acceptable tea color to the eye. The color is determined, using a Spectronic 20 D spectrophotometer at 420 nm absorbance and at a cuvet pathlength of 1 cm, to be about 0.9. Also, the beverage has a good tea flavor with brewed tea notes.

#### Example 3

[0036] The process of example 1 is repeated using Papua New Guinea tea leaves. A tea bag is placed in 250 ml of water at 22°C. After 90 seconds, the tea bag is removed. The beverage obtained has an acceptable tea color to the eye. The color is determined, using a Spectronic 20 D spectrophotometer at 420 nm absorbance and at a cuvet pathlength of 1 cm, to be about 0.9. Also, the beverage has a good tea flavor with brewed tea notes.

#### Example 4

[0037] Three types of tea bag are used in the trial. Tea Bag 1 is the tea bag of example 1. Tea Bag 2 is the tea bag of example 2. Tea Bag A is a commercially available tea bag (Lipton's). Each tea bag is immersed in 250 ml of water at 22°C for 90 seconds. Further, 2 bags of Tea Bag A are immersed in a liter of water at 75°C for 5 minutes. The bags are then removed from the water and each beverage is cooled to 10°C. The beverages are then analyzed for color, flavor and appearance. The results are as follows:

Tea Bag	Water Temp °C	Color/Absorbance	Flavor
1	22	Good/0.9	Good tea flavor with brewed tea notes.
2	22	Good/0.9	Good tea flavor with brewed tea notes.

(continued)

Tea Bag	Water Temp °C	Color/Absorbance	Flavor
A	22	Poor, watery/0.4	Poor, watery flavor. No body.
A	75	Good/0.9	Good tea flavor with brewed tea notes.

**Example 5**

[0038] Three types of tea bag are used in the trial. Tea Bag 1 is the tea bag of example 1. Tea Bag 2 is the tea bag of example 2. Tea Bag A is a commercially available tea bag (Lipton's). Tea bags 1 and 2 are immersed in 250 ml of water at 22°C for 90 seconds. A standard tea beverage is prepared from Tea Bag.

[0039] The theaflavin content of each beverage is then determined using a gas chromatograph. The theaflavin content of the beverages produced from Tea Bags 1 and 2 is about 40% of the theaflavin content of the standard tea beverage.

**Example 6**

[0040] A tea extract is prepared using a battery of fixed bed reactors using a mixture of high quality and dark tea leaves in a ratio of about 9:1. The extract is concentrated to about 45% by weight of soluble tea solids. The concentrated tea extract is rapidly heat treated at about 85°C.

[0041] Papua New Guinea tea leaf is blended with Jasmine tea leaf in a weight ratio of about 16:1. The blend is placed into a rotating drum and steam is injected into the drum until a leaf temperature of about 90°C is reached. The residence time in the drum is about 5 to 10 seconds. The blend is then dried.

[0042] The dried blend is placed into a rotating drum and the concentrated extract is sprayed into the drum at a temperature of about 55°C. Sufficient concentrated extract is sprayed into the drum such that the soluble tea solids in the extract provide about 15% by weight of the total dried weight of the tea leaves and soluble tea solids. The spraying is done in two passes. During the second pass, a tea flavor is added by incorporating it into the concentrated extract immediately prior to spraying.

[0043] The wet tea mixture is then fed into a fluidized bed drier. The drier is put into operation and operated until the moisture content of the mixture of tea leaves and soluble tea solids is about 3 to about 7% by weight. The tea mixture is removed from the drier and examined. Each tea leaf is coated with a coating of soluble tea solids.

[0044] The tea mixture is then filled into multi-serve bags using a conventional filling machine and tea bag material. Each bag receives about 9.5g of the tea mixture. Each bag contains sufficient tea mixture to provide about 1 liter of iced tea beverage.

[0045] Color testing is then carried out. Tea Bag 3 is the tea bag of this example. Tea bag A is a commercially available tea bag (Lipton's). Tea bag B is a commercially available tea bag (Red Rose). Tea bag C is a commercially available tea bag (Luzianne). Tea bag 3 is immersed in about 1.11 of water at 22°C for various times. Sufficient numbers of the commercially available tea bags to provide substantially the same amount of tea leaves are immersed in about 1.11 of water at 22°C for various times. The beverages are then analyzed for color. The results are as follows:

Extraction Time /minutes	Absorbance Tea bag 3	Absorbance Tea bag A	Absorbance Tea bag B	Absorbance Tea bag C
1.5	0.8	0.295	0.300	0.320
3	1.140	0.430	0.460	0.430
5	1.386	0.555	0.610	0.560
7	1.535	0.670	0.740	0.655
9	1.625	0.750	0.840	0.730

[0046] The tea beverage produced from tea bag 3 has good tea flavor with brewed tea notes. The beverage also has good tea astringency. The tea beverages produced from tea bags A to C are watery and of poor flavor.

[0047] The theaflavin content of the beverage produced by tea bag 3 at an extraction time of 90 seconds is then determined using a gas chromatograph. The theaflavin content is at least 60% of the theaflavin content of a standard tea

beverage produced from Tea Bag A.

# Claims

- 5 1. A tea bag for ice tea beverages, the tea bag containing a tea mixture comprising:  
about 30% to about 95% by weight of tea leaves; and  
about 5% to about 70% by weight of dried soluble tea solids.
- 10 2. A tea bag for ice tea beverages, the tea bag containing a tea mixture comprising tea leaves and dried soluble tea solids, the tea bag providing a beverage having a color of at least about 0.7 absorbance at 420 nm and using a cuvet pathlength of 1 cm when immersed in 250 ml of water at 22°C for about 90 seconds at a tea mixture concentration of about 10 g/l.
- 15 3. A tea bag for ice tea beverages, the tea bag containing a tea mixture comprising tea leaves and dried soluble tea solids, the tea bag, when immersed in cold water for 90 seconds, providing a beverage having a theaflavin content at least 25% of the theaflavin content of a standard tea beverage.
- 20 4. A tea bag for ice tea beverages according to claim 2 or claim 3 which comprises about 30% to about 95% by weight of tea leaves; and about 5% to about 70% by weight of dried soluble tea solids.
5. A tea bag according to any of claims 1 to 4 in which the tea leaves are thermally treated tea leaves.
- 25 6. A tea bag according to claim 5 in which the tea leaves are steam treated tea leaves.
7. A tea bag according to any of claims 1 to 6 in which the tea mixture further comprises tea flavor or aroma.
8. A tea bag according to any of claims 1 to 7 in which the soluble tea solids coat the tea leaves.
- 30 9. A method for preparing an iced tea beverage, the method comprising:  
immersing a tea bag containing a tea mixture comprising about 30% to about 95% by weight of tea leaves and about 5% to about 70% by weight of dried soluble tea solids into water at a temperature of about 30°C or less, extracting soluble tea solids from the tea mixture for a period of about 10 minutes or less to provide a tea  
35 extract; and  
removing the tea bag from the tea extract.
10. A method for preparing an iced tea bag, the method comprising  
40 thermally treating tea leaves at a temperature of at least 80°C;  
combining the thermally treated leaves with soluble tea solids to provide a tea mixture comprising about 30% to about 95% by weight of tea leaves and about 5% to about 70% by weight of dried soluble tea solids;  
packaging the tea mixture in a tea bag.



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 98 20 3503

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	FR 2 190 372 A (UNILEVER) 1 February 1974 * the whole document *	1-4,8	A23F3/14
X	GB 1 428 394 A (UNILEVER) 17 March 1976 * the whole document *	1-4,8,10	
X	CHEMICAL ABSTRACTS, vol. 85, no. 3, 1976 Columbus, Ohio, US; abstract no. 19377e, M. BOCKUCHAVA: "Use of green instant tea to enrich different varieties of tea" XP002089135 * abstract *	1,4	
A	GB 2 095 968 A (DOUWE EGBERTS) 13 October 1982 * examples I,III *	1-4,7	
A	DATABASE WPI Section Ch, Week 8824 Derwent Publications Ltd., London, GB; Class D13, AN 88-166770 XP002090595 & SU 1 353 405 A (WATCH IND RES INST) , 23 November 1987 * abstract *	1,5,6	TECHNICAL FIELDS SEARCHED (Int.Cl.6) A23F
A	DATABASE WPI Section Ch, Week 8823 Derwent Publications Ltd., London, GB; Class D13, AN 88-158143 XP002089137 & JP 63 098351 A (OKAMURA K) , 28 April 1988 * abstract *	1,5,6	
		-/--	
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>21 January 1999</b>	Examiner <b>Desmedt, G</b>
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/82 (P04C01)



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 98 20 3503

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	GB 2 208 096 A (DOUWE EGBERTS) 1 March 1989 * page 6, paragraph 2 - paragraph 4; claims 1,13-16 *	9	
A	GB 940 867 A (C. LONGLEY) * the whole document *	1	
A	GB K29891 A (M. WILBUSCHEWITSCH) & GB-A-29891 A.D. 1910 * claim 1 *	1-4	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>21 January 1999</b>	Examiner <b>Desmedt, G</b>
<p><b>CATEGORY OF CITED DOCUMENTS</b></p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/82 (P04C01)



**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 20 3503

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-01-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2190372 A	01-02-1974	AU 5734873 A	09-01-1975
		BE 801752 A	02-01-1974
		DE 2332227 A	10-01-1974
		JP 49051077 A	17-05-1974
		NL 7308912 A	02-01-1974
		ZA 7304387 A	26-02-1975
GB 1428394 A	17-03-1976	AU 472137 B	20-05-1976
		AU 5734773 A	09-01-1975
		BE 801751 A	02-01-1974
		CH 564313 A	31-07-1975
		DE 2332228 A	17-01-1974
		FI 54553 B	29-09-1978
		FR 2190371 A	01-02-1974
		IE 37850 B	26-10-1977
		IN 139383 A	12-06-1976
		JP 49054597 A	27-05-1974
		KE 2663 A	01-10-1976
		NL 7308913 A	02-01-1974
		SE 391634 B	28-02-1977
		ZA 7304386 A	26-02-1975
GB 2095968 A	13-10-1982	NL 8101677 A	01-11-1982
		AU 554444 B	21-08-1986
		AU 8187082 A	07-10-1982
		BE 892707 A	30-09-1982
		CA 1188920 A	18-06-1985
		DE 3211696 A	11-11-1982
		FR 2502904 A	08-10-1982
		IE 52724 B	03-02-1988
		IN 156447 A	03-08-1985
GB 2208096 A	01-03-1989	NL 8701569 A	01-02-1989
		NL 8801613 A	01-02-1989
GB 940867 A		NONE	
GB K29891 A		NONE	

1. 2. 3.

4.

5.

6.

7.

8.

9.